

This datasheet offers general information. Please contact your local ECO representative for country-specific details.



ECOTRAZ 20 Cattle Pour-On

Presentation

A liquid pour-on for cattle containing 2.0% w/v amitraz.

Indications

Ecotraz 20 Cattle Pour-On is used for the control of ticks on cattle.

Dosage and administration

Ecotraz 20 Cattle Pour-On is a topical pour-on formulation for external use only. The dose is 1ml per 10kg liveweight. Treat strictly according to body mass.

- Apply in two lines along each side of the spine from the shoulder to the root of the tail.
- In the case of heavy infestation with *Rhipicephalus* or *Boophilus* ticks apply in two lines from the base of the skull, along each side of the spine to the root of the tail. Spot treatment may also be required for localised heavy infestations.
- Ecotraz 20 Cattle Pour-On is a ready-to-use product and must not be mixed with any other dip, solvent or insecticidal compound.
- Treat all animals in a group whether visibly affected or not.
- For control of ticks cattle should be treated every 9-10 days during periods of risk.
- The longer the product is regularly applied, the more the tick population is reduced.

Contra-indications, warnings etc

Withdrawal periods

- Milk – 0 days
- Meat – 7 days

DO NOT USE ON CALVES / LAMBS UNDER 1 MONTH.

Signs of salivation and lethargy may occur with overdosage. These signs are transient and will pass with no ill effect.

Although this treatment has been extensively tested under a large variety of conditions, failure may occur for a variety of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

This datasheet offers general information. Please contact your local ECO representative for country-specific details.

Operator warnings

- Wear overalls, rubber gloves and face shield when opening containers or diluting, mixing or transferring the product from one container to another or when washing out the container.
- Wear arm-length rubber gloves, rubber boots and bib apron when handling diluted fluid or freshly treated animals.
- When using do not eat, drink or smoke.
- Do not breathe spray mist.
- Avoid all contact with mouth, skin and eyes.
- Wash concentrate or splashes of diluted spray from skin or eyes immediately.
- Wash all protective clothing thoroughly after use especially the inside of gloves.
- Wash hands and exposed skin before eating, drinking or smoking and after work.
- If you feel unwell seek medical advice and show this document.

Guide to Doctor

- Amitraz is **NOT** an organophosphate compound. If poisoning is suspected treatment should be symptomatic and supportive, paying particular attention to monitoring of respiratory and cardiac function.
- Do **NOT** use Atropine.
- Do **NOT** induce vomiting.

Protection of wildlife and the environment

Harmful to fish. Do not contaminate ponds, waterways or ditches with chemical or used container.

Hazard warnings

May cause sensitisation by skin contact. Harmful if swallowed.

Pharmaceutical precautions

- Containers should be safely disposed of after use and not re-used
- Close container after use.
- Do not store in residential properties.
- Store below 25°C in a dry place and protect from freezing.
- Keep away from food, drink and animal feedingstuffs.
- Keep out of the reach and sight of children.
- For animal treatment only.
- For external use only.
- Keep away from domestic animals.

General precautions

- Do not use on horses, dogs and cats.

Package quantities

1 litre containers.

This datasheet offers general information. Please contact your local ECO representative for country-specific details.

Further information

For further information contact:

ECO Animal Health
PO Box 47542
London N14 6WS
United Kingdom

Tel: +44 (0)208 447 8899
Fax: +44 (0)208 447 9292
Website: www.ecoanimalhealth.com